



BELLE ÎLE





USE

Always in a spirit of perseverance and answer to the wishes of our different customers, **Oeliatec** provides a new technological solution at your services. All in one closed trailer, it is the essential tool that enables by its versatility to meet the various needs of technical services.



High pressure cleaning



Thermospheric bell

All in one closed trailer :

- Hot water weed control machine
- High pressure pump (hot/cold water)
- Watering
- Hot water and high pressure pipe unclogging



TECHNICAL FEATURES

BELLE ÎLE uses 3 different type of energy

- Fuel to increase the temperature
- Electricity for the pump
- Gas for the high pressure

Safe closed trailer, aluminium and stainless steel building, alko or Skid supporting frame

Hot water weed control

- 120°C (248°F) hot water weeding
- Uses rain water or filtered recycled water
- Quiet thanks to its electrical pump
- Safety due to its 24 Volts power system
- Automat® (color touch screen) steering
- Automatic weeding reel (10 m - 33 Ft)

5
7

High pressure cleaning pump

- Hot or cold water mode (until 80°C / 176°F)
- 200 Bars pressure (2900 Psi)
- Double jet gun with pressure setting
- Automatic reel for high pressure cleaning (22,5 m - 74 Ft)

6

4

Watering

- 650 L (171 Gallons)
- Quiet electrical pump
- Manual reel watering (20 m - 65 Ft)

1

2



Pipe unclogging

- Nozzles and pipes cleaning and degreasing.




Belle Ile Skid version

1

2

3

4



Back of the machine

5

6

7



Automat®

OUR COMPETITIVE ADVANTAGES

- Technical bodies gathered at the front of the machine, closed by a double door. The back of the machine is closed by an aluminium shutter.
- Flash lights to ensure user's safety
- ⑤ - Multilingual Color touch screen Automater® to set up and manage the whole machine functions.
- 6,5 HP powered engine
- The pump, proven to supply a 200 Bars pressure (2900 Psi)
- Maintenance free Gel batteries - 4 hours reloading / 8 hours weeding autonomy
- Standardized EU electrical outlet
- High yield optimized fuel boiler
- Fuel tank with 33 L (7 Gallons) capacity
- Start and Stop

OPTIONS

- Geolocation ALM®
- Skid Version
- Water filling station with enhanced filtration
- Thermospheric bell ③
- Cleaning kit for panels
- Ride ramp.
- 2 users' version with gallows.



Gallows

WARRANTY

2 years for spare parts and **1 year** for labor



60, boulevard de la Haie des Cognets
35136 Saint Jacques de la Lande


Tél. **+33 (0)2 99 05 00 33**

Mail : contact@oeliatec.fr

www.oeliatec.com



HOEDIC



HOUAT



BRÉHAT



BELLE ÎLE



MOLLEN